

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE SPECIFICATION:

In page 5, line 15, please delete ---1-93---

Specification

2. The substitute specification filed 2/28/05 has not been entered a) because it does not conform to 37 CFR 1.125(b) and b) because: the specification is improper. In view of the fact that the issue fee has already been paid in this application, the period for filing a substitute specification has expired. Therefore, the originally filed specification will issue.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Louisa Lao whose telephone number is (571)272-9930. The examiner can normally be reached from 8:00am to 8:00pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Sullivan can be reached on 571-272-0779. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

0724-08032008 mll
Louisa Lao
Examiner
TC1600 GAU 1621

/Daniel M Sullivan/
Supervisory Patent Examiner, Art Unit 1636